

No Belts or Hoses Required





8+ Hours



Filter Options



#### Airhood 3000 **Applications**


- Waste & Water
- Maintenance &
- Agriculture & Food





# STAY COMFORTABLE, ALL SHIFT LONG.

# FEATURES & BENEFITS



### TECHNICAL SPECIFICATION

Product Code	3000AH
Flow Rate	130 - 160 l/m
Battery	
<ul><li>Voltage</li></ul>	12 V
<ul> <li>Charging</li> </ul>	Rapid
<ul> <li>Operation Time</li> </ul>	8 hours+
Battery Charger	Microprocessor Controlled, Automated
	AC Mains, UK Plug
Weight	1.1 kg
Noise	> 44 decibels
Motor	Maintained Airflow w/ Variable Compensation
Filters	P3, A1 P3, ABEK1 P3
Standard	
<ul> <li>Respiratory</li> </ul>	EN12941 TH3
<ul> <li>Helmet</li> </ul>	EN397
<ul><li>Visor</li></ul>	EN166 Optical Class 1 / Strength F
Storage Conditions	-10° to + 55°
Operating Conditions	0° to 60°

## ACCESSORIES

- 1. Acetate Visor for Oxyacetylene Welding
- 2.Aluminium Foundry Visor
- 3. Auto-Darkening Welding Visor
- 4. Front and Rear Lights for Highway Work
- 5. Bespoke Helmet Colours











# FILTER OPTIONS

Choose from filters like particulate, combined gas, and vapor options, including P3, A1P, and ABEK1P3.





P3

AIP

ABEK1P3

